

MAIL-IT REQUESTED: SEPTEMBER 2, 2004

100J1V

CLIENT: 09585134
LIBRARY: NEWS
FILE: ARCNWS

YOUR SEARCH REQUEST AT THE TIME THIS MAIL-IT WAS REQUESTED:

DATE BEF 6/1/2000 AND (COLOR OR COLORED OR COLOUR! OR PAINTED) W/10
(COORDINAT! OR MATCH! OR CATEGORI!) W/10 (SCREW OR FASTENER OR BOLT OR NUT
OR ANCHOR OR LUGNUT OR RIVET!)

NUMBER OF STORIES FOUND WITH YOUR REQUEST THROUGH:

LEVEL 1... 348

LEVEL 1 PRINTED

THE SELECTED STORY NUMBERS:

3,6,55,56,98,117,123,129,262

DISPLAY FORMAT: FULL

SEND TO: LEHMAN, KAREN
PATENT & TRADEMARK OFFICE
1911 S CLARK ST
ARLINGTON VIRGINIA 22202-3503

*****08880*****

LEVEL 1 - 3 OF 348 STORIES

Copyright 2000 ThomasNet Incorporated All Rights Reserved
Product News Network

April 27, 2000

LENGTH: 123 words

HEADLINE: DesignStep Stair Safety Tread

HIGHLIGHT:

DesignStep [TM] tread features a durable anodized aluminum base in a choice of black, silver or gold finish. Its non-slip abrasive surface is permanently bonded and locked into channels within the base. This tread is available in 9" and 11" depths and can be cut to fit any length of stair prior to shipment. It is secured with stainless steel flat head screws or anodized flat head screws.

DesignStep, from Amstep Products, is available in a full range of colors to match both the base and surrounding decor. It works with any stair material, indoors or out.

BODY:

DesignStep [TM] tread features a durable anodized aluminum base in a choice of black, silver or gold finish. Its non-slip abrasive surface is permanently bonded and locked into channels within the base. This tread is available in 9" and 11" depths and can be cut to fit any length of stair prior to shipment. It is secured with stainless steel flat head screws or anodized flat head screws.

DesignStep, from Amstep Products, is available in a full range of colors to match both the base and surrounding decor. It works with any stair material, indoors or out.

CONTACT: Patrick J. Sullivan, President, Amstep Products, General Information,
190 Century Drive, Bristol, CT, 06010, USA, , 860 589 9081, 860 589 9085

LOAD-DATE: December 8, 2002

LEVEL 1 - 6 OF 348 STORIES

Copyright 2000 Nationwide News Pty Limited
The Daily Telegraph (Sydney, Australia)

April 1, 2000, Saturday

SECTION: FEATURES; Pg. 134

LENGTH: 233 words

HEADLINE: TWINS GO WELL WITH TRAILERS

BODY:

Two enterprising Sydney brothers with a background in the automotive industry have embarked on an ambitious trailer manufacturing business that is proving more popular than they ever thought.

Twins Scott and Chad Turner say they never wanted to taste the bitter flavour of periods of unemployment and decided to take advantage of their motor body building and welding skills by offering affordable custom trailers suitable for a number of applications.

Their two-man business, Turner Trailers, is able to offer customers a personal service where the requirements of the customer are fully understood and appreciated.

"We'll build anything within reason," says Chad Turner. "From a race-car transporter to a fully enclosed trailer for small earth-moving machines where security and organisation is everything.

Scott says: "Most guys in this industry are pretty proud of their equipment and generally get around in nice-looking utes and trucks.

"So we feel that to be able to offer trailers that complement their work truck has to be a bonus."

Some of the features of Turner Trailers include aluminium checker plate floors, vehicle tie-downs, colour-coded rivets to match internal and external panelling, total use of shake-proof Nyloc nuts and custom work-benches and storage cupboards where required.

Turner Trailers is in Campbelltown and can be contacted on 0246213595.

LOAD-DATE: December 3, 2001

LEVEL 1 - 55 OF 348 STORIES

Copyright 1999 CMP Information Ltd
Packaging Magazine

February 25, 1999

SECTION: Pg. 38

LENGTH: 113 words

HEADLINE: Relaxed approach

BODY:

Sara Lee and PET Technologies have jointly redesigned the bottle for Radox Herbal Bath to combine an updated contemporary style with the brand's traditional herbal values.

PET Technologies manufactures the 500ml and 1 litre bottles at its Oxfordshire plant. Each are clear and rectangular with Radox embossed on the side panels. The labels and screw top closures are colour coded to match each of the eight products in the range.

PET Technologies has supplied Radox for seven years and, against stiff competition, won this new contract due to its proven track record and technological facilities to mould squared angular bottles.

Tel: +44 (0)1865 400315

LOAD-DATE: March 18, 1999

LEVEL 1 - 56 OF 348 STORIES

Copyright 1999 Cahners Business Information, a division of Reed
Elsevier Inc.

All Rights Reserved.
Design News

February 15, 1999

SECTION: PRODUCT NEWS; Latest and greatest offerings in the engineering marketplace; Pg. 99

LENGTH: 77 words

HEADLINE: Fasteners

BYLINE: Staff

BODY:

Custom- matched color fasteners enable manufacturers of upscale exhibits, displays, furniture, or equipment to visually camouflage the fastener in color coatings that match the finished surface. The fasteners are computer-generated to match user-supplied color swatches. The color coatings can match most any hue, and coat a variety of standard and specialty decorative head fasteners.

Unedda Bolt & Screw, 10 Capitol Dr., Moonachie, NJ 07074.

LOAD-DATE: February 19, 1999

LEVEL 1 - 98 OF 348 STORIES

Copyright 1998 ThomasNet Incorporated All Rights Reserved
Product News Network

March 1, 1998

LENGTH: 131 words

HEADLINE: 4700 Series Pushbutton Switches

HIGHLIGHT:

The 4700 Series pushbutton switches produce a snap tactile response when actuated. They are supplied with a high gloss actuator and **matching** knurled panel mounting **nut**, available in eight standard **colors**. These single and double pole alternate action switches, from APEM Components Incorporated, are available in single throw (On-Off) and double throw (On-On) electrical configurations. The contact ratings are 6 amps at 125 VAC or 3 amps at 250 VAC. The switches have a 12mm threaded bushing that mounts in a panel hole slightly less than 1/2". The operating temperature is -20degrees to 65degrees C.

BODY:

The 4700 Series pushbutton switches produce a snap tactile response when actuated. They are supplied with a high gloss actuator and **matching** knurled panel mounting **nut**, available in eight standard **colors**. These single and double pole alternate action switches, from APEM Components Incorporated, are available in single throw (On-Off) and double throw (On-On) electrical configurations. The contact ratings are 6 amps at 125 VAC or 3 amps at 250 VAC. The switches have a 12mm threaded bushing that mounts in a panel hole slightly less than 1/2". The operating temperature is -20degrees to 65degrees C.

CONTACT: Director of Marketing, Marketing Director, APEM Components Inc., General Information, 63 Neck Road, Haverhill, MA, 01835, USA, , 781 245 4531, 781 246 1007

LOAD-DATE: December 3, 2002

LEVEL 1 - 117 OF 348 STORIES

Copyright 1997 CMP Information Ltd
What's new in Building

May 1997

SECTION: Pg. 10

LENGTH: 127 words

HEADLINE: COLORDRILL SCREW'S WIDER APPLICATIONS

BODY:

With the introduction of a small Colordrill screw Industrial Roofing Products has increased its range of fasteners for roofing, cladding and general construction.

The screws are available in 8 and 10mm AF Hexagon head which can be colour matched to the full range of current BSC colours. The integral design of the colour head ensures that there are no colour caps to fail and fall off and the need for unsightly washers is eliminated.

Applications of the new screw range include main fixing to light sections up to 3mm thickness and main fixing to steel 2 and 4mm thickness. A dual purpose Colordrill screw is also available with the facility for stitching or main fixing to steel of 1.2 and 1.8mm thickness.

Reader enquiry number 542

LOAD-DATE: November 11, 1997

LEVEL 1 - 123 OF 348 STORIES

Copyright 1997 Warren Publishing, Inc.
Consumer Electronics

February 24, 1997, Monday

SECTION: THIS WEEK'S NEWS

LENGTH: 570 words

HEADLINE: DBS REVIVES ANTENNA DESIGN

BODY:

Popularity of DBS systems is sparking renaissance in RF antenna design as viewers seek alternative ways to receive local and network terrestrial telecasts.

Recent TV/FM/AM antennas introduced by Day Sequerra, SLWaber and Terk Technologies use novel designs and circuitry with goal of creating high-performance discrete products that don't intrude on home decor. Impetus for business, suppliers say, is prohibition on DBS delivery of terrestrial broadcasts, and consumer reluctance to foot separate "life-line" cable bill to get local or network VHF/UHF stations.

Companies designing new antennas say that besides desiring access to off-air signals, viewers have become accustomed to high-quality picture and sound from satellite sources. Consequently, new RF antennas must perform better than conventional units in door dipole or rooftop directional antenna. Cosmetics is yet another factor: Rabbit ears add to set-top clutter while multiple rooftop masts for DBS and terrestrial antennas detract from home's curb appeal.

Hideaway indoor installation is approach taken in Stealth antenna line from Mount Laurel, N.J.-based Day Sequerra, and in WaveTracker model designed by principal David Day for SLWaber, accessories and PC peripherals marketer in same town. Day's flagship Stealth SA3.0 (\$ 299) and WaveTracker version (\$ 120) for SLWaber have vertical orientation for wall-mounting. Antenna is 48" tall, 3" wide and 1/2" thick. Surface can be painted or wallpapered to match room decor.

Day Sequerra says use of long, monopole element in vertical configuration creates omnidirectional antenna with advantages over directional types as well as other omnidirectional designs. It says that long element grabs stronger, cleaner signal from air, resulting in less noise when signal is amplified. Vertical orientation receives signals from all directions but rejects multipath or "ghosts." In TV reception, multipath comes from almost same direction as main transmission, company says, and

horizontally aimed directional rooftop antennas can't discriminate direct signal from closely spaced reflections.

Amplifier sections of Day-designed antennas have separate stages for TV and radio bands, optimized for each. Company cites 50 dB gain for TV, 20 dB for radio. Sources are kept separate even at isolated wall outlet power supply, which has individual outputs, eliminating need for signal splitter. Day Sequerra says splitters can reduce signal strength as much as 60%. There's also stealth aspect to Terk's new TV50 (\$ 130), but flat, slim 73" horizontal antenna deploys indoors or out. Weatherproof housing can be painted to match exterior siding or interior walls. Lightweight design installs with just 3 screws.

For outdoor installation, omnidirectional TV50 offers "One-Wire Solution" to combine signals from DBS dish and VHF/UHF antenna. Diplexer takes coaxial cable leads from each to single feed into home, where 2nd diplexer splits signals. Antenna comes with 11-dB gain amplifier for broadcast channels as well as all necessary cables, connectors, hardware.

Terk says it will ship marine and recreational vehicle versions of TV50 later this year. Meanwhile, its FM Pro Model FM50 (\$ 120) resembles TV50 in design and features but is for FM radio only.

LOAD-DATE: February 25, 1997

LEVEL 1 - 129 OF 348 STORIES

Copyright 1997 ThomasNet Incorporated All Rights Reserved
Product News Network

January 1, 1997

LENGTH: 136 words

HEADLINE: Thermoset Wall Plates

HIGHLIGHT:

Pass & Seymour/Legrand(R) offers a broad line of Thermoset Wall Plates. Available in 83 different "SP" (no line) configurations and 72 different "P" (line) configurations, these Thermoset Wall Plates are available in seven colors: ivory, white, brown, gray, black, red, and light almond.

A choice of 166 single and multi-gang configurations is available to accommodate virtually any job-site requirement. Individually wrapped with color-matching screws, these durable products are molded of a noncombustible, mar-proof Thermoset plastic. Backside reinforcing ribs provide added durability and structural integrity.

BODY:

Pass & Seymour/Legrand(R) offers a broad line of Thermoset Wall Plates. Available in 83 different "SP" (no line) configurations and 72 different "P" (line) configurations, these Thermoset Wall Plates are available in seven colors: ivory, white, brown, gray, black, red, and light almond.

A choice of 166 single and multi-gang configurations is available to accommodate virtually any job-site requirement. Individually wrapped with color-matching screws, these durable products are molded of a noncombustible, mar-proof Thermoset plastic. Backside reinforcing ribs provide added durability and structural integrity.

CONTACT: Stephen Rood, Pass & Seymour/Legrand, General Information, 50 Boyd Avenue, Syracuse, NY, 13221, USA, steve-rood@pass-seymour.com, 315 468 8360

LOAD-DATE: December 3, 2002



LEVEL 1 - 262 OF 348 STORIES

Copyright 1992 President and Fellows of Harvard College
Harvard Business Review

March 1992 / April 1992

SECTION: Pg. 115

LENGTH: 5325 words

HEADLINE: Lessons from Germany's Midsize Giants.

BYLINE: Hermann Simon

ABSTRACT:

Germany's small and midsize companies, known as the Mittelstand, are a hidden source of wisdom on global competition. Companies like Krones, Korber/Hauni, Weinig, Webasto, and TetraWerke dominate their markets with world market shares ranging from 70-90%. When combined, they account for the bulk of Germany's trade surplus. The success of the Mittelstand lies in a set of five common practices. These companies all: 1) combine a narrow product-market focus with broad geographic scope; 2) perform best in the areas customers care most about; 3) balance closeness to customers with deep technical knowledge; 4) rely on themselves, especially for R&D; and 5) foster close ties between managers and workers.

Buried deep below the headlines of sensational business successes and innovative breakthroughs lies a quiet, inconspicuous source of wisdom on global competitiveness. Germany's small and midsize companies, known as the Mittelstand, have a talent for export and a command of their markets that belie their small size and low profile. Companies like Krones, Korber/Hauni, Weinig, Webasto, and TetraWerke lack the celebrity of Mercedes-Benz, Siemens, Bosch, and Bayer, but if world market share is considered the toughest criterion of a company's international strength, many Mittelstand companies are true superstars. They have world market shares in the range of 70% to 90%, and when combined, they account for the bulk of Germany's considerable trade surplus. This is an impressive feat, given that Germany was the world's largest exporter in 1986, 1987, 1988, and 1990; in 1990, the Germans exported 6.8% more than the Americans and 47.2% more than the Japanese.

BODY:

The Mittelstand companies are champions of global competition but have remained largely hidden for two reasons. First, most of their products -- for example, labeling machines for beverages, metal filters, bookbinding textiles, and sunroofs for cars -- are used in the manufacturing process or subsumed by the end product. These products are therefore invisible to consumers. But more important, Germany's small and midsize companies relish their obscurity. They shy away from publicity, and some have explicit policies of not dealing with the press. As an executive of a leading manufacturer of welding equipment said, "We are not interested in revealing our success strategies and helping those who have been inert during recent years."



information the company would never get from third-party retailers.

Baader, a company that dominates the world market for fish dissection devices with a whopping 90% share, located its facilities in close proximity to customers. It sits in the northern German port city of Lubeck, close to the fishing industry. From that vantage point, the company can easily continue to develop its highly automated, labor-saving equipment without losing touch with the market.

Many CEOs of Germany's smaller companies see customer contact as their primary responsibility, even when it requires incessant travel. Dieter Schneidewind, who brought Wella, a maker of professional hair-care products, to the number one position in Japan and several other Asian countries, has traveled to Asia up to 20 times a year.

When executives visit customers, they are more than figureheads. They are highly competent technical representatives (most Mittelstand managers have engineering degrees) who don't hesitate to roll up their shirt sleeves to immerse themselves in a customer's work. When Gunter Sieker, sales director of Lenze and an engineer by training, visited a customer in Singapore, he heard that the local technicians had been unable to repair one of the machines his company had sold them. He took off his jacket and worked for two hours to solve the problem. Needless to say, the customer was impressed by his knowledge of the equipment.

Executives are also on the alert for new product or product-improvement ideas. Reinhold Wurth stumbled on such an idea during a visit to a construction site. There he heard a construction worker grumble about how hard it was to read the size numbers of tools and corresponding screws. Wurth & Company subsequently replaced the numbers with colored rings so that workers can simply match the colors of the screws and tools.

Fierce Self-Reliance.

Germany's midsize companies trust in their own capabilities. They believe they can enter new markets and solve manufacturing and R&D problems on their own and that doing so strengthens their product knowledge and preserves their top competitive position. Independence ensures their control over standards and prevents leaks of technical know-how. More than half of the survey respondents said they have a policy of going it alone in foreign markets. Less than a quarter said they prefer cooperating with other companies.

One notable exception for many hidden champions is cooperation with Japanese companies. In this case, for reasons of culture, language, and distribution, cooperation in the form of partnerships and joint ventures has appeal to the Mittelstand. In general, these cooperative arrangements have been successful, and the Germans have developed many friendships with the Japanese. Lenze, for instance, has a long-standing relationship with Miki Pulley, a Japanese company of similar size, that dates back to the early 1960s. This relationship has helped Lenze sell products in Japan; Lenze also markets Miki products in Germany. Over the years, the families of the two owners have developed such close personal ties that they attend each other's weddings and birthday parties.

When it comes to manufacturing and R&D capabilities, German companies are

show files;ds

File 5:Biosis Previews(R) 1969-2004/Aug W4
(c) 2004 BIOSIS

File 9:Business & Industry(R) Jul/1994-2004/Sep 01
(c) 2004 The Gale Group

File 15:ABI/Inform(R) 1971-2004/Sep 02
(c) 2004 ProQuest Info&Learning

File 16:Gale Group DB(MT) 1990-2004/Sep 02
(c) 2004 The Gale Group

File 20:Dialog Global Reporter 1997-2004/Sep 02
(c) 2004 The Dialog Corp.

File 34:SciSearch(R) Cited Ref Sci 1990-2004/Aug W5
(c) 2004 Inst for Sci Info

File 47:Gale Group Magazine DB(TM) 1959-2004/Sep 02
(c) 2004 The Gale group

File 73:EMBASE 1974-2004/Aug W5
(c) 2004 Elsevier Science B.V.

File 112:UBM Industry News 1998-2004/Jan 27
(c) 2004 United Business Media

File 119:Textile Technol. Dig., 1978-2003/Jun
(c) 2003 EBSCO Publishing

File 144:Pascal 1973-2004/Aug W4
(c) 2004 INIST/CNRS

File 148:Gale Group Trade & Industry DB 1976-2004/Sep 02
(c) 2004 The Gale Group

File 155:MEDLINE(R) 1951-2004/Aug W5
(c) format only 2004 The Dialog Corp.

File 156:ToxFile 1963-2004/Aug W5
(c) format only 2004 The Dialog Corporation

File 323:RAPRA Rubber & Plastics 1972-2004/Sep
(c) 2004 RAPRA Technology Ltd

File 340:CLAIMS(R)/US Patent 1950-04/Aug 31
(c) 2004 IFI/CLAIMS(R)

File 342:Derwent Patents Citation Indx 1978-04/200454
(c) 2004 Thomson Derwent

File 347:JAPIO Nov 1976-2004/Apr(Updated 040802)
(c) 2004 JPO & JAPIO

File 348:EUROPEAN PATENTS 1978-2004/Aug W04
(c) 2004 European Patent Office

File 349:PCT FULLTEXT 1979-2002/UB=20040826, UT=20040819
(c) 2004 WIPO/Univentio

File 351:Derwent WPI 1963-2004/UD, UM &UP=200456
(c) 2004 Thomson Derwent

File 440:Current Contents Search(R) 1990-2004/Sep 02
(c) 2004 Inst for Sci Info

File 483:Newspaper Abs Daily 1986-2004/Sep 01
(c) 2004 ProQuest Info&Learning

File 484:Periodical Abs Plustext 1986-2004/Aug W4
(c) 2004 ProQuest

File 535:Thomas Register Online(R) -2004/May
(c) 2004 Thomas Publishing Co.

File 570:Gale Group MARS(R) 1984-2004/Sep 02
(c) 2004 The Gale Group

File 652:US Patents Fulltext 1971-1975
(c) format only 2002 The Dialog Corp.

File 654:US Pat.Full. 1976-2004/Aug 31
(c) Format only 2004 The Dialog Corp.

File 765:Frost & Sullivan 1992-1999/Apr
(c) 1999 Frost & Sullivan Inc.

File 781:ProQuest Newsstand 1998-2004/Sep 02
(c) 2004 ProQuest Info&Learning

File 990:NewsRoom Current May 1 -2004/Sep 02
(c) 2004 The Dialog Corporation
File 992:NewsRoom 2003
(c) 2004 The Dialog Corporation
File 993:NewsRoom 2002
(c) 2004 The Dialog Corporation
File 995:NewsRoom 2000
(c) 2004 The Dialog Corporation

Set	Items	Description
S1	97	(FASTENER? OR SCREW OR SCREWS OR NAIL OR NAILS OR BOLT OR - BOLTS) (7N) (COLOR? OR COLOUR? OR INDICIA) (7N) (ARRANGE? OR ORGA- NI?) (7N) (FEATURE? OR CHARACTERISTIC? OR GAUGE OR LENGTH OR SI- ZE OR DIAMETER)
S2	75	RD (unique items)
?		

t 2/3,k/all

2/3,K/1 (Item 1 from file: 5)
DIALOG(R)File 5:BIOSIS Previews(R)
(c) 2004 BIOSIS. All rts. reserv.

0009704389 BIOSIS NO.: 199598172222

Teaching non-dermatologists to examine the skin: A review of the literature and some recommendations

AUTHOR: Ashton R E

AUTHOR ADDRESS: Dep. Dermatol., Royal Naval Hospital, Haslar, Gosport, Hampshire PO12 2AA, UK**UK

JOURNAL: British Journal of Dermatology 132 (2): p221-225 1995 1995

ISSN: 0007-0963

DOCUMENT TYPE: Article; Literature Review

RECORD TYPE: Abstract

LANGUAGE: English

...ABSTRACT: scale, crust, etc.) should be described separately. The concept of smooth/normal as a surface **feature** should be included. A scheme is recommended for describing skin lesions, which is based on the following **features** : (i) their site, distribution and **arrangement** ; (ii) lesion morphology, under the following headings: palpation, type, surface, **colour** , border, **size** , shape; and (iii) associated **features** , such as changes affecting the **nails** , mouth, scalp and genitals.

2/3,K/2 (Item 1 from file: 9)
DIALOG(R)File 9:Business & Industry(R)
(c) 2004 The Gale Group. All rts. reserv.

3264982 Supplier Number: 03264982 (USE FORMAT 7 OR 9 FOR FULLTEXT)

**DieterBakicEnterprises interprets European culture
(Firm releases a new selection of product packaging)**

Cosmetics International, v 25, n 571, p 14

September 25, 2001

DOCUMENT TYPE: Journal ISSN: 0963-6137 (United Kingdom)

LANGUAGE: English RECORD TYPE: Fulltext

WORD COUNT: 268

TEXT:

...was drawn from the art and craftwork of the art nouveau period.

The line, which **features** both compact and liquid make-up, blusher, eyeshadow, mascara, lipstick and **nail** lacquer, has softly curved shapes that, the company says, recall female and **organic** forms. The **colour** concept for YRIA highlights a warm, tempting amber red combined with gold decoration. Additional depth...

2/3,K/3 (Item 2 from file: 9)
DIALOG(R)File 9:Business & Industry(R)
(c) 2004 The Gale Group. All rts. reserv.

2500572 Supplier Number: 02500572 (USE FORMAT 7 OR 9 FOR FULLTEXT)

Mass Perfumeries on the Rise

(To compete in the \$7 bil beauty market in Italy, some department stores are setting up mass market perfumeries)

Women's Wear Daily NACDS, p 40+

June 1999

DOCUMENT TYPE: Journal ISSN: 0149-5380 (United States)
LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 730

(USE FORMAT 7 OR 9 FOR FULLTEXT)

TEXT:

...year rolled out You Color. Billed as "the makeup line of the new millennium," You **Color features** 80 shades of lipsticks, lip gloss in 40 hues and 60 varieties of **nail** polish. The small, aluminum containers are **arranged** in concentric circles on a standalone kiosk.

Prices range from \$2.70 for nail polish...

2/3,K/4 (Item 3 from file: 9)
DIALOG(R)File 9:Business & Industry(R)
(c) 2004 The Gale Group. All rts. reserv.

2280368 Supplier Number: 02280368 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Newsbites: P&G
(P&G developed Silver Belles holiday promotion for Cover Girl cosmetics collection)
Drug Store News, v 20, n 17, p 29
October 19, 1998
DOCUMENT TYPE: Journal ISSN: 0191-7587 (United States)
LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 122

(USE FORMAT 7 OR 9 FOR FULLTEXT)

TEXT:

...has developed a Silver Belles holiday promotion for its Cover Girl cosmetics collection. The promotion **features** two limited-edition gift sets in a variety of complementary shade groupings. The Silver Belles Cosmetic **Organizers features** a festively decorated reusable **organizer** holding a Continuous **Color** Self-Renewing Lipstick, Nailslicks **nail** enamel, a kit of Professional Eye Enhancers and a Soft Radiants Eye Pencil. The suggested...

2/3,K/5 (Item 1 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2004 ProQuest Info&Learning. All rts. reserv.

02514087 257923971
Tough as nails
Mason, Sara; Leacock, Tracey
Global Cosmetic Industry v170n10 PP: 38-42 Oct 2002
ISSN: 1523-9470 JRNL CODE: DCI
WORD COUNT: 2580

...ABSTRACT: industry, it does put pressure on companies to find new ingredients and alternatives to artificial **nails**. Packaging is important, especially at the retail level, to attract the consumer to the products and clearly show the various **colors**. Packaging innovations include: 1. a rubberized cap, 2. child safe **features**, 3. specially designed brushes, 3. double-ended containers, and 4. a **nail** polish **organizer**. Marketing can be a tool that affects packaging, as well, such a strategic partnership with...

2/3,K/6 (Item 1 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2004 The Gale Group. All rts. reserv.

09595599 Supplier Number: 78792040 (USE FORMAT 7 FOR FULLTEXT)
Feed Screws. (United Feed Screws) (Brief Article)
Rubber World, v224, n3, p59
June, 2001
Language: English Record Type: Fulltext
Article Type: Brief Article
Document Type: Magazine/Journal; Trade
Word Count: 56

(USE FORMAT 7 FOR FULLTEXT)
TEXT:
Feed Screws . This eight-page, four- color , fold-out brochure presents the company's array of solutions and services to meet an organization 's extrusion and injection molding needs. Rebuilt screws and barrels, new equipment in stock and customized designs are featured , including feedscrews, barrels and extruders. (United Feed Screws)

2/3,K/7 (Item 2 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2004 The Gale Group. All rts. reserv.

07983362 Supplier Number: 62002808 (USE FORMAT 7 FOR FULLTEXT)
Model R-4 reciprocating screw blow molding machines.
Dairy Foods, v101, n2, p56
Feb, 2000
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 60

(USE FORMAT 7 FOR FULLTEXT)
TEXT:
Model R-4 reciprocating screw blow molding machines feature quick mold and tooling set-up, quick color changes and quick height adjustments with T-square arrangement . A variety of multi-parison die heads are available with options such as parison programming...

2/3,K/8 (Item 3 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2004 The Gale Group. All rts. reserv.

07156913 Supplier Number: 59651607 (USE FORMAT 7 FOR FULLTEXT)
STEPPING UP; DESIGNER ROZAE NICHOLS IS ROUNDING OUT HER ECLECTIC APPAREL COLLECTION WITH AN ARTSY NEW LINE OF SHOES. (Brief Article) (Statistical Data Included)
Siu, Tammy
Footwear News, p20
Feb 21, 2000
Language: English Record Type: Fulltext
Article Type: Brief Article; Statistical Data Included
Document Type: Magazine/Journal; Trade
Word Count: 732

... primitive approach is something that works extremely well with my (apparel) collection."

Her love for **organic** materials and simple details is exhibited through **features** such as vegetable-dyed leathers, exposed stitching and studded **nail**-head embellishments. The **colors** are a mix of neutrals and deep, rich tones, ranging from olive green and cognac...

2/3,K/9 (Item 4 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2004 The Gale Group. All rts. reserv.

06389202 Supplier Number: 54802502 (USE FORMAT 7 FOR FULLTEXT)
MASS PERFUMERIES ON THE RISE. (Italy)
Cooperman, Jackie
WWD, p40S
June 4, 1999
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 728

... year rolled out You Color. Billed as "the makeup line of the new millennium," You **Color** **features** 80 shades of lipsticks, lip gloss in 40 hues and 60 varieties of **nail** polish. The small, aluminum containers are **arranged** in concentric circles on a stand-alone kiosk.
Prices range from \$2.70 for nail...

2/3,K/10 (Item 5 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2004 The Gale Group. All rts. reserv.

05923033 Supplier Number: 53158960 (USE FORMAT 7 FOR FULLTEXT)
P&G.
Drug Store News, p29(1)
Oct 19, 1998
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; Trade
Word Count: 125

(USE FORMAT 7 FOR FULLTEXT)
TEXT:
...has developed a Silver Belles holiday promotion for its Cover Girl cosmetics collection. The promotion **features** two limited-edition gift sets in a variety of complementary shade groupings. The Silver Belles Cosmetic **Organizers** **features** a festively decorated reusable **organizer** holding a Continuous **Color** Self-Renewing Lipstick, Nailslicks **nail** enamel, a kit of Professional Eye Enhancers and a Soft Radiants Eye Pencil. The suggested...

2/3,K/11 (Item 6 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2004 The Gale Group. All rts. reserv.

02451498 Supplier Number: 43230996 (USE FORMAT 7 FOR FULLTEXT)
Suppliers' New Bag: Licensing
Discount Store News, v0, n0, p51
August 17, 1992
Language: English Record Type: Fulltext

Document Type: Magazine/Journal; Trade
Word Count: 129

... line of cosmetic bags, hand bags, wallets, back packs, beach bags and luggage. All will **feature** the company's trademark bright **colors**.

The Beanstalk Group, is the licensing agent for Caboodles. It is also looking to hair accessories, watches, cosmetics and **nail color** for potential licensing opportunities.

Sassaby is also looking to extend its **organizer** business with bag accessories as well as apparel and footwear products, according to Hamilton Projects...

2/3,K/12 (Item 1 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2004 The Dialog Corp. All rts. reserv.

29102455 (USE FORMAT 7 OR 9 FOR FULLTEXT)
Group test - Photo-editing suites - Get the picture.
Nik Rawlinson.
PC WORLD, p125
July 01, 2003
JOURNAL CODE: WPCW LANGUAGE: English RECORD TYPE: FULLTEXT
WORD COUNT: 7217

(USE FORMAT 7 OR 9 FOR FULLTEXT)

... adjustable, and based on real-life equivalents.
The lightning tool, for example, deals not with **length** and breadth, but **bolt** strength, **colour**, and even age of the strike (lightning **bolts** grow relatively slowly to begin with, then rapidly diminish).
Other effects are more **organic**. The dropper emulates the spread of ink dripped into water or onto wet media. It...

2/3,K/13 (Item 2 from file: 20)
DIALOG(R)File 20:Dialog Global Reporter
(c) 2004 The Dialog Corp. All rts. reserv.

26401798 (USE FORMAT 7 OR 9 FOR FULLTEXT)
M2: Turn on glamour for big night out
DIANE PARKES
EVENING MAIL
December 03, 2002
JOURNAL CODE: FEVM LANGUAGE: English RECORD TYPE: FULLTEXT
WORD COUNT: 396

(USE FORMAT 7 OR 9 FOR FULLTEXT)

... own nail art using swirls, stripes and spots. Ruth's top Avon Christmas specials:
Astonishing **Length** Mascara - replace falsies with fuller longer lashes
Glazewear Lip for Lips - bright **colours** with a glossy finish
Silver dipped **Nail** Art - create your own designs
Crystal Aura make-up range - **colours** for an aura of mystery
Antique Chic for **nails** and eyes - go for glamour To order direct or **arrange** for an Avon Representative to visit, call 0845 601 4040 (local rate) or visit www...

SSI introduces Instructor DiveLog System

Anonymous

Skin Diver (GSKD), v43 n2, p61

Feb 1994

ISSN: 0037-6345 JOURNAL CODE: GSKD

DOCUMENT TYPE: Feature

LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 221

LENGTH: Short (1-9 col inches)

TEXT:

... that meets the teaching and diving demands of the professional instructor.

The Instructor DiveLog is **organized** much like the other SSI logs. The padded black binder **features** a touch **fastener** closure system and uses a full **color** flow chart to explain the various levels of SSI leadership certification. The log is also **organized** by a series of tabs that pertain to the different aspects of the instructor's...

2/3,K/45 (Item 1 from file: 535)

DIALOG(R)File 535:Thomas Register Online(R)

(c) 2004 Thomas Publishing Co. All rts. reserv.

08922744

Thunderline/Link Seal Div., PSI

6525 Goforth St.

Houston, TX 77021 USA

TELEPHONE: 713-747-8819

FAX: 713-747-6029 FAX

OTHER: 800-423-2410

<http://www.linkseal.com>

DESCRIPTION OF BUSINESS:

THOMAS REGISTER OF AMERICAN MANUFACTURERS

Link-Seal<R> Mechanical Seals Are Used As A Method For Permanently Sealing Pipes Of Any Size Passing Through Walls, Floors & Ceilings. Worldwide Mfr. Of Link-Seal Pipe Penetration Seals, Century-Line Sleeves<R> & Cell-Cast<R> For Sealing Pipes Through Concrete Walls, Floors & Casings. **Features** Include: 316 Stainless Steel Or **Organic** Coated **Bolts**, Positive Hydrostatic Seal At 20 psig (40 Feet), FM Approved Fire Seals, & **Color** Coded EPDM, Nitrile & Silicone Elastomers Depending On The Field Application

DESCRIPTION OF BUSINESS:

...Century-Line Sleeves<R> & Cell-Cast<R> For Sealing Pipes Through Concrete Walls, Floors & Casings. **Features** Include: 316 Stainless Steel Or **Organic** Coated **Bolts**, Positive Hydrostatic Seal At 20 psig (40 Feet), FM Approved Fire Seals, & **Color** Coded EPDM, Nitrile & Silicone Elastomers Depending On The Field Application

2/3,K/46 (Item 1 from file: 652)

DIALOG(R)File 652:US Patents Fulltext

(c) format only 2002 The Dialog Corp. All rts. reserv.

00503505

Utility

SELF-INDICATING CLAMPING BOLT

Karen Lehman EIC 3600 02-Sep-04

PATENT NO.: 3,561,317
ISSUED: February 09, 1971 (19710209)
EXTRA INFO: Assignment transaction [Reassigned], recorded January 18, 1982 (19820118)
Assignment transaction [Reassigned], recorded December 19, 1985 (19851219)
Assignment transaction [Reassigned], recorded February 19, 1986 (19860219)
Assignment transaction [Reassigned], recorded May 1, 1986 (19860501)
Assignment transaction [Reassigned], recorded September 15, 1987 (19870915)
Assignment transaction [Reassigned], recorded June 17, 1991 (19910617)
Assignment transaction [Reassigned], recorded December 9, 1991 (19911209)
INVENTOR(s): Rowell, John C., Middlebury, CT (Connecticut), US (United States of America)
ASSIGNEE(s): Anaconda American Brass Company, US (United States of America)
, A corporation of Connecticut
Assignee Code(s): 41201
APPL. NO.: 4-813,549
FILED: April 04, 1969 (19690404)
FULL TEXT: 231 lines

... say, for instance, when a socket head wrench is applied to remove or loosen the **bolt**. The second head is provided with a coating of any suitable substance having a **color** different than that of said band. With this **arrangement**, a predetermined torque applied to the **bolt** by turning the second head, will, because of the reduced tapered **diameter** section of the shank to which said second head is attached, cause the second head...

2/3,K/47 (Item 1 from file: 654)

DIALOG(R)File 654:US Pat.Full.

(c) Format only 2004 The Dialog Corp. All rts. reserv.

0005548385 **IMAGE Available

Derwent Accession: 2004-202763

Construction material with multiple stud position indicia

Inventor: Martin, Thomas, INV

Correspondence Address: HARSHAW RESEARCH INCORPORATED, P O BOX 418, OTTAWA, KS, 66067, US

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 20040035062	A1	20040226	US 2002224259	20020820

Fulltext Word Count: 5294

Description of the Invention:

...first set of indicia 26 further include a common color. Therefore, the first set of **indicia** 26 **arranged** in the first set of lines and along with the corresponding shape and **color characteristics** enable a carpenter to insert **nails** or **screws** through the panel 12 and into respective wall supports...

Karen Lehman EIC 3600 02-Sep-04

2/3,K/48 (Item 2 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

5307835 **IMAGE Available
Derwent Accession: 2003-605625

Utility

M/ **Combined dowel-hole and pocket-hole drilling apparatus**

Inventor: Robinson, Jeffery A, 37 Long Hill Rd., Groton, MA, 01450

Assignee: Unassigned

Unassigned Or Assigned To Individual (Code: 68000)

Examiner: Howell, Daniel W. (Art Unit: 372)

Combined Principal Attorneys: Nathans, Robert

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 6599064	A	20030729	US 2002189905	20020703

Fulltext Word Count: 6584

Description of the Invention:

...with respect to the orientation of FIG. 10 to the text) markings 40 include numerical **indicia** arranged and configured to indicate the length of the dowel used as a fastener when making a dowel joint. The stop rod 32, when placed at the selected **indicia** will limit forward travel of the motor assembly 30 such that the tool will penetrate approximately one half the dowel length into the workpiece. Thus, the operator is relieved from performing mathematical calculations, which minimizes error...

2/3,K/49 (Item 3 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

0005180635 **IMAGE Available
Derwent Accession: 2003-278060

SURGICAL GUIDE SYSTEM FOR STABILIZATION OF THE SPINE

Inventor: Gary Schneiderman, INV

Correspondence Address: NUTTER MCCLENNEN & FISH LLP, WORLD TRADE CENTER
WEST 155 SEAPORT BOULEVARD, BOSTON, MA, 02210-2604, US

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 20030032965	A1	20030213	US 2001929292	20010813

Fulltext Word Count: 7567

Description of the Invention:

...172 and a tapered distal end 174 to facilitate tunneling through soft tissue. The desired screw length can be determined by aligning the proximal end 172 of the first cannula 170 with the **indicia** 150 on the obturator 140. This arrangement enables the proper screw length to be determined by assessing where the proximal end 172 of the cannula 170 registers...

2/3,K/50 (Item 4 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

0005024029 **IMAGE Available
Derwent Accession: 2002-582986

Series of configurable jewelry closures to hold single or multi-strands of jewelry

Inventor: Daryl Walker, INV
David Baer, INV

Correspondence Address: SAWYER LAW GROUP LLP, P O BOX 51418, PALO ALTO, CA,
94303, US

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 20020078707	A1	20020627	US 2001996096	20011127
Provisional				US 60-250329	20001129

Fulltext Word Count: 4702

Description of the Invention:

...wearer to customize the jewelry strand(s) 212. For example, a user might vary the ~~color~~, number, length and arrangement of the jewelry strands 212. Fasteners 202 and 204 thus provide a reusable and customizable connection point to loops 208 and...

2/3,K/51 (Item 5 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

4856033 **IMAGE Available
Derwent Accession: 2003-278060

Utility

M/ Surgical guide system for stabilization of the spine.

Inventor: Schneiderman, Gary Andrew, Sacramento, CA

Assignee: DePuy AcroMed, Inc. (02), Raynham, MA

DePuy AcroMed Inc

Examiner: Lewis, Ralph A. (Art Unit: 372)

Law Firm: Nutter McClennen & Fish LLP

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 6547795	A	20030415	US 2001929292	20010813

Fulltext Word Count: 5967

Description of the Invention:

...172 and a tapered distal end 174 to facilitate tunneling through soft tissue. The desired screw length can be determined by aligning the proximal end 172 of the first cannula 170 with the indicia 150 on the obturator 140. This arrangement enables the proper screw length to be determined by assessing where the proximal end 172 of the cannula 170 registers...

2/3,K/52 (Item 6 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

4238344 **IMAGE Available
Derwent Accession: 92400-061204

Utility

M/ Tactile device

Inventor: Arnold, III, Perry C., 10300 Jollyville Rd. No. 730, Austin, TX,
78759
Cutler, Lawrence David, 2524 Benvenue Ave. #12, Berkeley, CA,
94704
Eisbach, Christopher Karl, 830 Williams Way #2, Mountain View, CA
, 94040
Fogg, Brian J., P.O. Box 8338, Stanford, CA, 94309
Assignee: Unassigned
Unassigned Or Assigned To Individual (Code: 68000)
Examiner: Hafer, Robert A. (Art Unit: 372)
Assistant Examiner: Carlson, Jeffrey D.
Law Firm: Julian Caplan Flehr Hohbach Test Albritton & Herbert LLP

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 5989099	A	19991123	US 97866497	19970530

Fulltext Word Count: 4895

Description of the Invention:

...to customize the tactile body 12 to his personal preference,
selecting knobs of the desired **size** , shape, material, **color** and
appearance. The removable knobs may be attached using any suitable means
such as threaded **fasteners** , slot-key **arrangements** and the like

2/3,K/53 (Item 7 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

4047470 **IMAGE Available
Derwent Accession: 1997-079567

Utility

E/ Machining method using numerical control apparatus

Inventor: Hirai, Hayao, Aichi, JP
Fujimoto, Tadahiko, Aichi, JP
Assignee: Mitsubishi Denki Kabushiki Kaisha (03), Tokyo, JP
Mitsubishi Denki K K JP (Code: 56262)
Examiner: Elmore, Reba I. (Art Unit: 236)
Assistant Examiner: Patel, Ramesh
Law Firm: Sughrue, Mion, Zinn, Macpeak & Seas, PLLC

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 5815400	A	19980929	US 96679158	19960710
Priority				JP 95197308	19950710

Fulltext Word Count: 205834

2/3,K/54 (Item 8 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

3782156 **IMAGE Available
Derwent Accession: 1996-504995

Utility
EXPIRED

M/ **Fingernail color display**

Inventor: Killough, Beverly A., 709 Juniper La., Lewisville, TX, 75067

Assignee: Unassigned

Unassigned Or Assigned To Individual (Code: 68000)

Examiner: Gibson, Jr., Robert W. (Art Unit: 355)

Combined Principal Attorneys: Ray, Jerry C.

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 5570793	A	19961105	US 95393847	19950224

Fulltext Word Count: 1652

Summary of the Invention:

...A key **feature** of the invention is that the **nails** are displayed on the perimeter of rotating platforms, so the customer may turn the display to view a large number of **color** choices. The **nails** are **arranged** to extend outward from the platform so that a customer may place one of her fingers under a **nail** for a quick **color** choice...

2/3,K/55 (Item 9 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

3699806 **IMAGE Available
Derwent Accession: 1996-150404

Utility
EXPIRED

M/ **Article sorter**

Inventor: Jellum, Roger D., 29202-37th Pl. S., Auburn, WA, 98001

Assignee: Unassigned

Unassigned Or Assigned To Individual (Code: 68000)

Examiner: Terrell, William E. (Art Unit: 311)

Assistant Examiner: Nguyen, Tuan

Combined Principal Attorneys: Pauly, Joan H.

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 5495950	A	19960305	US 94292780	19940818

Fulltext Word Count: 4000

Summary of the Invention:

...when the tray is tilted about the hinge. O'Keeffe discloses a chart

Karen Lehman EIC 3600 02-Sep-04

which has **indicia** for determining the **length** of a **bolt** and holes for determining the **diameter** of a **bolt**. The chart is removably supported on an edge of the tray by a tongue and slot **arrangement**. In each of the two patents, the tray includes a handle to be grasped for...

2/3,K/56 (Item 10 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

3628125 **IMAGE Available
Derwent Accession: 1994-137257

Utility

EXPIRED

M/ **Vertical injection molding machine**

Inventor: Yoshida, Hiroshi, Toyama, JP

Kuse, Kazuki, Toyama, JP

Assignee: Yoshida Kogyo K.K. (03), Tokyo, JP

YKK Corp JP (Code: 93696)

Examiner: Mackey, James P. (Art Unit: 135)

Law Firm: Hill, Steadman & Simpson

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 5431554	A	19950711	US 93138437	19931020
Priority				JP 92284529	19921022
				JP 92284530	19921022
				JP 92284531	19921022

Fulltext Word Count: 6329

Summary of the Invention:

...and gates. This injection molding is repeated a predetermined number of times until a required **length** of slide **fastener** chain is molded. During the molding, in the remaining injection units, **arrangements** for material change such as **color** change or quality change to be made for subsequent molding has been finished and these...

Description of the Invention:

...The same injection molding is repeated a predetermined number of times until a required **length** of slide **fastener** chain is formed continuously. By the end of this molding with one injection unit, the **arrangements** for **color** change and/or material change of the other injection unit finishes and it assumes the...

2/3,K/57 (Item 11 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

3563999 **IMAGE Available
Derwent Accession: 1995-035406

Utility

EXPIRED

M/ **Mechanic's bolt and small parts receptacle**

Inventor: Bloomgren, Ellis R., 2309 W. 17th St., Loveland, CO, 80538

Assignee: Unassigned

Unassigned Or Assigned To Individual (Code: 68000)

Examiner: Ackun, Jr., Jacob K. (Art Unit: 244)

Combined Principal Attorneys: Hein, William E.

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 5373939	A	19941220	US 94189791	19940201

Fulltext Word Count: 915

Description of the Invention:

...20 may be inserted for storage. The perforations 18 provide frictional retention of screws and bolts 20 of varying diameter. Sloping front panel 12 facilitates storage of bolts of varying length, as well. Front panel 12 may include identification indicia associated with selected ones of the perforations 18, as illustrated in FIG. 3, to facilitate organization of the bolts and screws 20 that are stored thereon. The identification indicia may be provided by the mechanic at the time of disassembly of an engine or...

2/3,K/58 (Item 12 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

3406994 **IMAGE Available
Derwent Accession: 1990-306681

Utility

C/ Method for manufacturing layer-built material with silicon dioxide film containing organic colorant and the layer-built material manufactured thereby

Inventor: Takemura, Kazuo, Takarazuka, JP
Ino, Juichi, Nishinomiya, JP
Kawahara, Hideo, Mino, JP
Kitaoka, Masaki, Nishinomiya, JP
Assignee: Nippon Sheet Glass Co., Ltd. (03), Osaka, JP
Nippon Sheet Glass Co Ltd JP (Code: 59684)
Examiner: Lusignan, Michael (Art Unit: 112)
Law Firm: Nikaido, Marmelstein, Murray & Oram

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 5232781	A	19930803	US 92834455	19920212
Division	US 5114760	A		US 90500987	19900329
Priority				JP 898316	19890401
				JP 89167366	19890629
				JP 89167367	19890629
				JP 89167368	19890629
				JP 89204214	19890807
				JP 89217124	19890823
				JP 89218054	19890824
				JP 89229694	19890905
				JP 89238295	19890913
				JP 89238296	19890913

Fulltext Word Count: 31750

Summary of the Invention:

2/3,K/60 (Item 14 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

2994213 **IMAGE Available
Derwent Accession: 1987-307413

Utility

EXPIRED

M/ Aiming device

Inventor: Gehmann, Walter, Karlstrasse 40, 7500 Karlsruhe, DE

Assignee: Unassigned

UNASSIGNED OR ASSIGNED TO INDIVIDUAL (Code: 68000)

Examiner: Corbin, John K. (Art Unit: 257)

Assistant Examiner: Edmondson, David J.

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 4856879	A	19890815	US 8726952	19870317
Priority				DE 3623513	19860422

Fulltext Word Count: 3275

Summary of the Invention:

...another by 90 degree(s)] by means of knurled rings and it further contains a color filter consisting of a disc rotatable by another knurled ring and including a plurality of different color filters wherein the knurled screw member and the knurled rings all have about the same outer diameter and are arranged coaxially with respect to the tubular housing portion in such a manner that the knurled...

2/3,K/61 (Item 15 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

2858313 **IMAGE Available
Derwent Accession: 1988-098148

Utility

EXPIRED

M/ Wheel bolt circle gauge

; FOR DETERMINING TYPE OF AUTOMOBILE A WHEEL WILL FIT

Inventor: Campbell, Russ, 5290 St. Helena Hwy., Napa, CA, 94558

Assignee: Unassigned

UNASSIGNED OR ASSIGNED TO INDIVIDUAL (Code: 68000)

Examiner: Haroian, Harry N. (Art Unit: 246)

Law Firm: Bruce & McCoy

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 4730399	A	19880315	US 8723143	19870309

Fulltext Word Count: 2554

Non-exemplary or Dependent Claim(s):

...by the alignment of marks on said scale and indicator when the

Karen Lehman EIC 3600 02-Sep-04

projections of said **gauge** are inserted in adjacent lug **bolt** holes of an automobile wheel, the **indicia** of said **gauge** including numbered marks formed on said scale and **arranged** to be visible through the elongated openings formed in said indicator and corresponding marks formed...

2/3,K/62 (Item 16 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

2500313 **IMAGE Available
Derwent Accession: 1983-753326

Utility
EXPIRED

E/ **Color computer wheel**

Inventor: Adkins, James K., 9806 Luke Ct., Upper Marlboro, MD, 20772
Adkins, Charlotte G., 9806 Luke Ct., Upper Marlboro, MD, 20772

Assignee: Unassigned
UNASSIGNED OR ASSIGNED TO INDIVIDUAL (Code: 68000)

Examiner: Fuller, Benjamin R. (Art Unit: 211)

Combined Principal Attorneys: Francois, Francis B.; Thomas, Jr., Francis D.

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 4398453	A	19830816	US 81285913	19810723

Fulltext Word Count: 4104

Abstract:

A **color** computer wheel includes a white base member upon which four concentrically **arranged** discs are rotatably mounted by a central **fastener**, the discs decreasing in **diameter** from bottom to top and being made of a transparent sheet material. The top disc...

Summary of the Invention:

...The color computer wheel of the invention includes a base member that is light in **color**, preferably white, and four concentrically **arranged** discs made of transparent material and rotatably mounted on the base member by a **fastener** passed through the common center point of the four discs. The discs are successively smaller in **diameter** moving from the bottom to the top of the stack, and the topmost or smallest...

2/3,K/63 (Item 17 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

2455911 **IMAGE Available
Derwent Accession: 1980-62531C

Utility

E/ **Electric soldering iron with vibratory soldering bit**

Inventor: Kaderabek, Milos, Raiffeisenstrasse 14 a,, D-7000 Stuttgart 31,
DE

Assignee: Unassigned
UNASSIGNED OR ASSIGNED TO INDIVIDUAL (Code: 68000)

Examiner: Bartis, A. (Art Unit: 213)

Combined Principal Attorneys: Kasper, Horst M.

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 4358661	A	19821109	US 80130044	19800313
Priority				DE 2928827	19790717

Fulltext Word Count: 2684

Summary of the Invention:

...shape of a terminal, embraces the free end of the protective casing. Because of the **length** of the arm, only a small amount of heat is transferred to the vibrator. The oscillation frequency is adjusted by a **bolt arranged** on the vibrator. The pistol grip consists of two covers screwed together, with a plastic cylinder, a lamp bulb and a detachable **colored** mask being arranged in the top wall, so that the angle of lighting can be...

2/3,K/64 (Item 18 from file: 654)
 DIALOG(R)File 654:US Pat.Full.
 (c) Format only 2004 The Dialog Corp. All rts. reserv.

2394181 **IMAGE Available
 Derwent Accession: 1981-M9136D

Utility

REASSIGNED

M/ Paper feed system for photographic printer

Inventor: Baert, Victor R., Anoka, MN
 Bowe, Gerald R., Blaine, MN
 Assignee: Pako Corporation (02), Minneapolis, MN
 PAKO CORP (Code: 63336)
 Examiner: Hartary, Joseph W. (Art Unit: 211)
 Assistant Examiner: Brady, W. J.
 Law Firm: Kinney, Lange, Braddock, Westman and Fairbairn

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 4302101	A	19811124	US 799127	19790205
Continuation	Abandoned			US 77776876	19770311

Fulltext Word Count: 15214

Description of the Invention:

...Although the threaded hole- **screw** -microswitch **arrangement** is a preferred technique of automatically controlling feed **length**, other techniques may be used. For example, other forms of **indicia** and **indicia** sensors may be used. In each case, the indicia is associated with the paper mask...

2/3,K/65 (Item 19 from file: 654)
 DIALOG(R)File 654:US Pat.Full.
 (c) Format only 2004 The Dialog Corp. All rts. reserv.

2266321 **IMAGE Available
 Derwent Accession: 1980-A9000C

Utility

M/ Instructional chair

Inventor: Dykes, Earl R., Rte. 4, Box 74, Lake City, FL, 32055

Assignee: Unassigned

UNASSIGNED OR ASSIGNED TO INDIVIDUAL (Code: 68000)

Examiner: Skogquist, Harland S. (Art Unit: 334)

Combined Principal Attorneys: Baldwin, George H.; Yeager, Arthur G.

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 4183154	A	19800115	US 78927896	19780725

Fulltext Word Count: 2947

Description of the Invention:

...for example, may be painted white and may be fixed with nine three-sixteenths inch **diameter bolts arranged** in three parallel vertical columns of three, while joint 19 between rail 6 and rear post 3 may be **color** coded black and may be fixed with ten three-sixteenths inch **diameter bolts arranged** in two horizontal rows of three and one horizontal row of four bolts. Similarly, the...

...Joint 28 may be **color** coded in a darker or lighter green than joint 18 and may be fixed by one three-quarter inch **diameter** hex head **bolt**, and joint 29 may be **color** coded in another selected **color**, such as light gray, and **fixed** by two five-sixteenth inch hex head **bolts**, preferably **arranged** in a pattern opposite to that of joint 32 so that rail member 12 cannot...

2/3,K/66 (Item 20 from file: 654)

DIALOG(R)File 654:US Pat.Full.

(c) Format only 2004 The Dialog Corp. All rts. reserv.

2258558 **IMAGE Available

Derwent Accession: 1979-L4463B

Utility

REASSIGNED

M/ Test system for photographic printers

Inventor: Baert, Victor R., Anoka, MN

Assignee: Pako Corporation (02), Minneapolis, MN

PAKO CORP (Code: 63336)

Examiner: Hix, L. T. (Art Unit: 211)

Assistant Examiner: Brady, W. J.

Law Firm: Kinney, Lange, Westman and Fairbairn

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 4175852	A	19791127	US 77776873	19770311

Fulltext Word Count: 14927

Description of the Invention:

...Although the threaded hole- **screw** -microswitch **arrangement** is a preferred technique of automatically controlling feed **length**, other techniques may be used. For example, other forms of **indicia** and **indicia** sensors may be used. In each case, the **indicia** is associated

with the paper mask...

2/3,K/67 (Item 21 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

2204273 **IMAGE Available
Derwent Accession: 1978-K4360A

Utility

REASSIGNED

M/ Paper feed cut off for photographic printer

Inventor: Baert, Victor R., Anoka, MN

Assignee: Pako Corporation (02), Minneapolis, MN

PAKO CORP (Code: 63336)

Examiner: Nix, L. T. (Art Unit: 211)

Assistant Examiner: Brady, W. J.

Law Firm: Kinney, Lange, Westman and Fairbairn

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 4125326	A	19781114	US 77776930	19770311

Fulltext Word Count: 15000

Description of the Invention:

...Although the threaded hole- screw -microswitch arrangement is a preferred technique of automatically controlling feed length , other techniques may be used. For example, other forms of indicia and indicia sensors may be used. In each case, the indicia is associated with the paper mask...

2/3,K/68 (Item 22 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

2176839 **IMAGE Available
Derwent Accession: 1978-H2631A

Utility

REASSIGNED

M/ Light source for photographic printer

Inventor: Gilligan, Patrick J., Minneapolis, MN

Schrupp, Kenneth D., Minneapolis, MN

Assignee: Pako Corporation (02), Minneapolis, MN

PAKO CORP (Code: 63336)

Examiner: Wintercorn, Richard A. (Art Unit: 211)

Combined Principal Attorneys: Adams, John W.

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 4099864	A	19780711	US 77776875	19770311

Fulltext Word Count: 15114

Description of the Invention:

Karen Lehman EIC 3600 02-Sep-04

...Although the threaded hole- screw -microswitch arrangement is a preferred technique of automatically controlling feed length , other techniques may be used. For example, other forms of indicia and indicia sensors may be used. In each case, the indicia is associated with the paper mask...

2/3,K/69 (Item 23 from file: 654)
DIALOG(R)File 654:US Pat.Full.
(c) Format only 2004 The Dialog Corp. All rts. reserv.

2061914 **IMAGE Available
Derwent Accession: 1976-L5065X

Utility

M/ Metering shock absorber with manual adjustment

Inventor: Lee, Patrick P., Tonawanda, NY

Assignee: Integrated Dynamics Incorporated (02), Buffalo, NY

INTEGRATED DYNAMICS INC

Examiner: Blix, Trygve M. (Art Unit: 315)

Assistant Examiner: Kazenske, Edward R.

Law Firm: Christel & Bean

	Publication Number	Kind	Date	Application Number	Filing Date
Main Patent	US 3991863	A	19761116	US 75538399	19750103
Continuation	Abandoned			US 73372837	19730622

Fulltext Word Count: 5565

Description of the Invention:

...110, as referenced to the outer end face of screw 110, and represents a particular size of the orifice opening defined between the tapered head formation 114 of screw 110 and bore 104. This color code arrangement is especially desirable for adjusting a plurality of shock absorbers 10 at the same damping...

2/3,K/70 (Item 1 from file: 765)
DIALOG(R)File 765:Frost & Sullivan
(c) 1999 Frost & Sullivan Inc. All rts. reserv.

00113579

INTRODUCTION, SCOPE AND METHODOLOGY: Glossary of Terms (2/4)

Main Title: PERFUMES, COSMETIC, AND TOILETRY CHEMICAL MARKETS IN THE EUROPEAN COMMUNITY

Pub. Date: September 1993

Source: Frost & Sullivan

Telephone: US (415) 961 - 1000; London 071 730 3438

Word Count: 303 (1 pp.)

Language: English

Country: EUROPE

Industry: Chemicals

...are the most common humectants used in U.S. cosmetic and toiletry products.

Keratin: The **characteristic** compound in hair, **nails** and feathers with a high sulphur content and containing systine and arginine as the predominant amino acids.

Lake: An **organic colourant** which is insoluble in water.

Lipase: A lipolytic (fat-breaking) enzyme which hydrolyzes fats into...

2/3,K/71 (Item 2 from file: 765)
DIALOG(R)File 765:Frost & Sullivan
(c) 1999 Frost & Sullivan Inc. All rts. reserv.

00113414

INTRODUCTION, SCOPE AND METHODOLOGY: Glossary of Terms (2/4)

Main Title: PERFUMERY, COSMETIC, AND TOILETRY CHEMICALS IN THE EUROPEAN COMMUNITY

Pub. Date: September 1993

Source: Frost & Sullivan

Telephone: US (415) 961 - 1000; London 071 730 3438

Word Count: 317 (1 pp.)

Language: English

Country: EUROPE

Industry: Chemicals

...are the most common humectants used in U.S. cosmetic and toiletry products.

Keratin: The **characteristic** compound in hair, **nails** and feathers with a high sulphur content and containing systine and arginine as the predominant amino acids.

Lake: An **organic colourant** which is insoluble in water.

Lipase: A lipolytic (fat-breaking) enzyme which hydrolyses fats into...

2/3,K/72 (Item 1 from file: 781)
DIALOG(R)File 781:ProQuest Newsstand
(c) 2004 ProQuest Info&Learning. All rts. reserv.

06983581 PTPH01390099 (USE FORMAT 7 OR 9 FOR FULLTEXT)

Les Franco-Américains; Franco-American mothers deserve praise

Portland Press Herald, YORK ED, P 5E

Thursday, May 18, 2000

DOCUMENT TYPE: Newspaper, Small LANGUAGE: ENGLISH RECORD TYPE:

FULLTEXT SECTION HEADING: YORK COUNTY EXTRA; LOCAL/REGIONAL

Word Count: 446

(USE FORMAT 7 OR 9 FOR FULLTEXT)

...discipline.

The fourth characteristic is organizational ability. Franco-American mothers really mean it when they **arrange** the kitchen spices in alphabetical order because they will stay that way for years. One sister-in-law purchased a vertical **screw** box, the kind with dozens of tiny drawers, so her son would **organize** his various Lego-building